

1) TOP OF SHRUB ROOTBALLS TO

OF ROOTBALL.

MASS/HEIGHT.

(3) 3" MULCH LAYER AS

4 EXCAVATE ENTIRE BED

(5) FINISHED GRADE (SEE

MIX AS SPECIFIED.

(7) SCARIFY OF PLANTING PIT

(9) UNDISTURBED NATIVE SOIL.

10) FERTILIZER TABLETS (MAX 3"

SIDES AND BOTTOM.

(8) 4" HIGH BERM FIRMLY

COMPACTED.

(6) PREPARED PLANTING SOIL AS

SPECIFIED. (SEE LANDSCAPE NOTES) NOTE: WHEN GROUND-

COVERS AND SHRUBS USED IN

AMENDED WITH PLANTING SOIL

MASSES, ENTIRE BED TO BE

GRADING PLAN).

SPECIFIED.

2) PRUNE ALL SHRUBS TO

ACHIEVE A UNIFORM

BE PLANTED 1" - 2" HIGH WITH

SOIL MOUNDING UP TO THE TOP

SPECIFIED FOR GROUNDCOVER

BEST FACE OF SHRUB/-

REFER TO PLANT

AT BED EDGE.

3X ROOT BALL WIDTH

MINIMUM

REPRESENTATIVE.

NOTES:

SECTION

SHRUB/GROUNDCOVER PLANTING

A. CONTRACTOR SHALL ASSURE PERCOLATION OF ALL PLANTING PITS PRIOR TO INSTALLATION.

B. WHEN SHRUBS ARE PRUNED IN MASSES, PRUNE ALL SHRUBS TO ACHIEVE UNIFORM MASS / HEIGHT.


C. ALL SHRUBS AND GROUNDCOVERS SHALL BE PLUMB VERTICALLY, UNLESS OTHERWISE DIRECTED BY OWNERS


GROUNDCOVER TO FACE

FRONT OF PLANTING BED

SCHEDULE FOR SPACING.

MAINTAIN 12" DEAD ZONE-






MIN. ½ MATURE MIN. ½ MATURE SHRŪB WIDTH SHRUB WIDTH MIN. 15' CLEAR FIRE HYDRANT SECTION (1) FIRE HYDRANT.

2) NO PLANT EXCEEDING 12" MATURE HEIGHT MATERIAL SHALL BE PLACED WITHIN SHOWN RADIUS OF ALL PROPOSED OR EXISTING FIRE HYDRANTS CONTRACTOR SHAL ADJUST PLANT MATERIAL SO THAT NO CONFLICTS WITH FIRE HYDRANTS OCCUR ON (3) FRONT OF HYDRANT (TOWARD CURB) 7'-6" 7'-6"

HRUB PLANTING AT FIRE HYDRANT



بسر د

SHEET NUMBER L1.50